

| ALL NEW TITAN® HD 1500 SERIES | TITAN® HD 1500 SERIES | | |
|--|---|--|----------------------------|
| | 74450 78450 CARB MODEL | 74451 | 74452 |
| ENGINE* AT 3600 RPM | 24.5 hp Toro® V-Twin 708cc (74450) 21 hp Kohler® 725cc (78450) | | 24.5 hp Toro® V-Twin 708cc |
| ELECTRIC START | Standard | | |
| DECK WIDTH | 48" (122 cm) | 52" (132 cm) | 60" (152 cm) |
| CUTTING DECK | TURBO FORCE™ | | |
| DECK DEPTH | 5" (12.7 cm) | | |
| DECK CONSTRUCTION | 7/10-gauge high-strength steel | | |
| BULL-NOSE BUMPER | Standard | | |
| RUBBER DISCHARGE CHUTE | Standard | | |
| DECK SPINDLES | 8" (20.3 cm) Alum, Sealed Ball Bearings, 1" (2.5 cm) Shaft | | |
| HYDRAULIC DRIVE SYSTEM | ZT3100 | | |
| FUEL CAPACITY | 7 gallons (26.5 liters) | | |
| MAX GROUND SPEED (FWD) | Up to 8 mph (12.9 km/h) | | |
| REAR TIRES | 22" x 9.5" - 12" (55.88 cm x 24.13 cm - 30.48 cm) | 22" x 10.5" - 12" (55.88 cm x 26.67 cm - 30.48 cm) | |
| FRONT TIRES | 13" x 6.5" - 6" (33 cm x 16.51 cm - 15.24 cm) Cage Bearing | | |
| SEAT | Deluxe Adjustable Suspension Seat | | |
| TOOL-MOUNTING CAPABILITY | Side Console Ready | | |
| DECK LIFT ASSIST PEDAL | Standard | | |
| CUTTING HEIGHT | 1.5" - 5" (3.8 - 12.7 cm) in 0.25" (6 mm) increments | | |
| ROPS | No-tools Folding | | |
| WARRANTY** | 4 Year / 500 Hour Limited | | |



TORO COMMERCIAL-GRADE ENGINES

Powerful and reliable Toro engines are built specifically for the TITAN HD 1500 Series to provide optimal performance and reliability. Heavy-duty features like the two-barrel carburetor, automotive-style piston assembly, cast-iron cylinder liners, and self-cleaning air filter housing ensure this engine is up to the task.



COMMERCIAL-GRADE HYDRAULICS

The integrated pump and wheel motor uses proven commercial hydraulic components while eliminating hoses and other potential leak points. You'll get a smoother, faster response while enjoying an even more reliable machine.



EASY SERVICE

The flip-up floor panel and easy access to routine service points around the engine make service easy.